




.



A FLOOR PLAN BUILDING 'A'

DDG-250 SPECIFICATIONS

BUILDING SIZE:	249,600 S.F
PARCEL SIZE:	26.1 Acres
SPACE AVAILABLE:	54,912 S.F.
SPACE DIMENSIONS:	176' X 312'
COLUMN SPACING:	56' x 52'
CONCRETE SLAB:	6", laser screed
CLEAR HEIGHT:	30' Minimum Clear Height
ROOF CONSTRUCTION:	Panelized Wood System
ROOFING:	.60 TPO
SKYLIGHTS:	4' x 8' 4 per bay
CROSS DOCK:	145' truck court from edge-of-dock on west and east elevation.
DOCK CONSTRUCTION:	60' reinforced 6'' concrete dock apron, $\pm 1\%$ slope
TRUCK DOCK DRAINAGE:	Truck docks have a gravity drainage system.
TRUCK DOORS:	Ten (10) 9' x 10' dock high doors and Three (3) 12' x 14' ground level doors.
FIRE SYSTEM:	K-17 ESFR System with 150 horsepower booster pump
OFFICE:	Build-to-Suit
ADDRESS:	4395 S. Minnewawa Avenue Fresno, CA 93725
For further information, please contact Marcus Pignotti (559) 225-6363, ext. 8	